

# Safety Data Sheet

Heptane

## SECTION I - IDENTIFICATION

**SOLVENT DIRECT**

DATE PREPARED: ..... 10/24/1994  
REVISION DATE: ..... 4/6/2011  
CHEMTEL: ..... 800-255-3924  
PRODUCT CODE: ..... HEP

ADDRESS: ..... 19129 S Hamilton Ave

Gardena, CA 90248

EMERGENCY PHONE NUMBER: .....  
..... (800) 255-3924

PRODUCT NAME: .....  
CHEMICAL FAMILY: ..... Heptane

CAS NUMBER: .....  
..... 142-82-5

## SECTION II - HAZARDOUS IDENTIFICATION

### GHS CLASSIFICATION:

#### Classification

Flammable Liquids	Category 2
Aspiration Hazard	Category 1
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Sensitization, Respiratory	Category 1
Hazardous to the aquatic environment, acute hazard	Category 1
Hazardous to the aquatic environment, long-term hazard	Category 1

### DANGER!

#### GHS LABEL:



#### Hazard Statements

H225	Highly flammable gas and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

# Safety Data Sheet

## Heptane

### Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surface - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/light/equipment, etc.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+352	IF ON SKIN: Wash with soap and water.
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
P331	Do NOT induce vomiting.
P332+313	If skin irritation occurs: get medical advice/attention.
P337+313	If eye irritation persists get medical advice/attention.
P342+311	Call a POISON CENTER or doctor/physician.
P362	Take off contaminated clothing and wash before reuse.
P370+378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.
P391	Collect spillage.
P403+235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.

# Safety Data Sheet

## SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

### Heptane

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Heptane, Branched, Cyclic & Linear	426260-76-6	100%	500 ppm (TWA)	400 ppm
Heptanes	142-82-5	1-4%	500 ppm	400 ppm

## SECTION IV - FIRST AID MEASURES

**Contact with eyes:** Flush with water for 15 minutes. Seek immediate medical attention.

**Skin contact:** Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.

**Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

**Ingestion:** If swallowed. Do not induce vomiting. Seek immediate medical attention.

## SECTION V - FIREFIGHTING MEASURES

**Suitable Extinguishing Media:** Water fog, foam, CO2, dry chemical.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

**Unusual Fire Fighting Hazards:** Product is flammable and may be ignited by heat, sparks, flames or other sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distance to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

## SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Keep all sources of ignition and hot metal surfaces away from spill or release.  
Evacuate all unprotected personnel from the area.  
Product is extremely flammable.

**Environmental Precautions:** Prevent liquid from entering drains, sewers or waterways.  
Contain spill if it can be done with minimal risk.  
Notify proper authorities.

## Safety Data Sheet

### Heptane

**Methods for Cleaning Up:** Use foam on spills to minimize vapors.  
Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

#### SECTION VII - HANDLING AND STORAGE

- Handling and Storage:**
- Vent container carefully before opening.
  - Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
  - "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
  - Keep containers tightly closed when not in use.
  - NFPA Class IB storage.
  - Outdoor storage or detached storage may be preferred.
  - Indoor storage must meet OSHA standards and fire codes.
  - If current ventilation practices are not adequate to maintain airborne concentrations below the established exposure limits, additional ventilation or exhaust systems may be required.
  - Where explosive mixtures may be present, electrical systems safe for such locations must be used.

#### SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

##### EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Heptane, Branched, Cyclic & Linear	426260-76-6	500 ppm (TWA)	400 ppm
Heptanes	142-82-5	500 ppm	400 ppm

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

**Monitoring:** Follow accepted work practices for handling a flammable material.  
Do not eat, drink or smoke in areas where this chemical is used or stored.  
Have eye wash stations and safety showers readily available.

##### Personal Protective Equipment (PPE)

**Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

**Skin Protection:** Impervious solvent resistant gloves.  
Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

# Safety Data Sheet

## Heptane

### SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear, Colorless Liquid
<b>Odor</b>	Light hydrocarbon odor
<b>pH@25°C</b>	-
<b>Melting/Freezing Point</b>	-
<b>Boiling Point</b>	195°F
<b>Flashpoint</b>	15°F (-9°C) TCC
<b>Specific Gravity</b>	0.693
<b>Solubility</b>	Negligible
<b>Auto-Ignition Temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>VOC Content</b>	100% (5.77#/gal)
<b>Odor Threshold</b>	-
<b>Boiling Range</b>	195°F
<b>Evaporation Point</b>	>1 (Butyl Acetate=1)
<b>Flammable Limits - Upper</b>	6.7%
<b>Flammable Limits - Lower</b>	1.2%
<b>Vapor Pressure</b>	2.3 psi @ 100°F
<b>Vapor Density (Air=1)</b>	3.5 (Air=1)
<b>Viscosity</b>	-

### SECTION X - STABILITY AND REACTIVITY

**Stability:** Stable, under normal conditions of storage and handling.

**Conditions to Avoid:** Extreme heat and ignition sources.

**Hazardous Decomposition/Byproducts:** CO, CO<sub>2</sub>, and various hydrocarbons under combustion conditions.

**Hazardous Polymerization:** Will not occur.

**Polymerization Conditions to Avoid:** None

# Safety Data Sheet

## Heptane

### SECTION XI - TOXICOLOGICAL INFORMATION

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** May cause irritation to the upper respiratory tract and CNS depression. Low to moderate degree of toxicity by inhalation.

**Eye Contact:** Causes eye irritation including stinging, watering and redness which may result in corneal injury.

**Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.

**Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.

#### Toxicity:

Component Name	LD50	LC50
Heptane, Branched, Cyclic & Linear	Oral - rat - > 5 g/kg	Inhalation - rat - 103 g/m <sup>3</sup> 4 HR
Heptanes	Oral - rat - 15,001 mg/kg	Inhalation - rat - 4H/103 g/m <sup>3</sup>

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

### SECTION XII - ECOLOGICAL INFORMATION

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

**Degradability:** Information not available.

**BioAccumulation:** Information not available.

### SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow local and national regulations. Consult disposal expert. Can be disposed of by controlled incineration. Excessive quantities should not be permitted to enter drains, sewers, or water courses. Empty containers should be air dried before disposing.

# Safety Data Sheet

Heptane

## SECTION XIV - TRANSPORT INFORMATION

### DOT SHIPPING INFORMATION

**Proper Shipping Name:** Heptanes

**Contains:**

**Hazard Class and Label:** 3

**Identification Number:** UN 1206

**Packaging Group:** II

**Label Required:**

## SECTION XV - REGULATORY INFORMATION

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

### SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
X		X		

### SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

### CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

## SECTION XVI - OTHER INFORMATION

**HMIS Health:** ..... 1

**HMIS Flammability:** ..... 3

**HMIS Reactivity:** ..... 0

**Additional:**

### Specification Information

**Department issuing data sheet:** Compliance

**Email address:** compliance@transcheminc.com

**Training necessary:** Follow all local, state and federal regulations

### Intended Use of Product:

Seller and manufacturer disclaim any implied or expressed warranties, including warranties of merchantability or fitness of this product for any particular purpose. In no event shall seller be liable for any claim for incidental or consequential damages arising out of or in connection with the sale, delivery, transportation or use of this product. Seller's and manufacturer's liability in all events is limited to, and shall not exceed the purchase price paid for this product.